

**Commonwealth of Kentucky
Natural Resources and Environmental Protection Cabinet
Department for Environmental Protection
Division for Air Quality
803 Schenkel Lane
Frankfort, Kentucky 40601
(502) 573-3382**

**STATE ORIGIN
AIR QUALITY PERMIT**

Permittee Name: Mountain Enterprises
Mailing Address: P.O. Box 13070, Lexington, Kentucky 40583

is authorized to construct and operate a portable hot mix asphalt plant (drum)

Source Name: Mountain Enterprises
Mailing Address: Same as above
Source Location: 80 South Mayo Trail, Pikeville

KYEIS ID #: 21-195-09063
SIC Code: 2951

Region: Appalachian
County: Pike

Permit Number: S-00-169
Log Number: 53200
Permit Type: Minor, Operating

Issuance Date: December 4, 2000
Expiration Date: December 4, 2005

**John E. Hornback, Director
Division for Air Quality**

SECTION A - PERMIT AUTHORIZATION

Pursuant to a duly submitted application which was determined to be complete on November 1, 2000, the Kentucky Division for Air Quality hereby authorizes the construction and operation of the equipment described herein in accordance with the terms and conditions of this permit. This permit has been issued under the provisions of Kentucky Revised Statutes Chapter 224 and regulations promulgated pursuant thereto.

The permittee shall not construct, reconstruct, or modify any affected facilities without first having submitted a complete application and receiving a permit for the planned activity from the permitting authority, except as provided in this permit or in the Regulation 401 KAR 50:035, Permits.

Issuance of this permit does not relieve the permittee from the responsibility of obtaining any other permits, licenses, or approvals required by this Cabinet or any other federal, state, or local agency.

At least 15 days prior to moving the portable operation to any other site in the Commonwealth of Kentucky (excluding Jefferson County), the permittee shall notify the Division for Air Quality's Frankfort Field Operations Branch, 803 Schenkel Lane, Frankfort, Kentucky 40601 of the new site location, including UTM or latitude and longitude coordinates, and the date of start-up. In addition, if the date of the intended operation is canceled or rescheduled, the permittee shall notify the Division at least 5 days prior to the new date of the intended operation.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS

- 01 (-) Rotary Dryer – Natural Gas Fired (Cedar Rapids E400RL) (Drum Mix)
(Maximum Rated Capacity- 400 tons/hour)
(Control: Baghouse)**

APPLICABLE REGULATIONS:

State Regulation 401 KAR 60:005, Standards of performance for new stationary sources, which incorporates by reference 40 CFR 60.90 (40 CFR 60, Subpart I).

State Regulation 401 KAR 50:032, Prohibitory rule for hot mix asphalt plants.

1. Operating Limitations :

Pursuant to State Regulation 401 KAR 50:032, Section 3, the owner or operator shall comply with the following operational limits and fuel usage requirements:

- a. Drum mix plants shall not produce more than 500,000 tons of asphalt during any consecutive twelve (12) month period.
- b. Waste oil shall not be used as a fuel for the rotary dryer or the asphalt heater unless it has been recycled and meets or exceeds the following specifications:
 1. No more than five (5) ppm of arsenic,
 2. No more than two (2) ppm of cadmium,
 3. No more than ten (10) ppm of chromium,
 4. No more than 100 ppm of lead,
 5. No more than 1000 ppm of total halogens, and
 6. Minimum flash point of 100 degrees F.

2. Emission Limitations :

- a. Pursuant to Regulation 40 CFR 60.92(a)(1), particulate matter emissions into the open air shall not exceed 0.04 gr/dscf.
- b. Pursuant to Regulation 40 CFR 60.92(a)(2), any continuous emissions into the open air shall not equal or exceed twenty percent (20%) opacity.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

2. Emission Limitations : (Continued)

Compliance Demonstration Method:

- a. Performance tests used to demonstrate compliance with the particulate matter standard as listed above shall be conducted according to Reference Method 5. The sampling time and sample volume for each run shall be at least 60 minutes and 31.8 dscf.
- b. In determining compliance with the opacity standard as listed above, the owner or operator shall use Reference Method 9.

3. Testing Requirements:

See Section C, General Condition G.3.

4. Monitoring Requirements:

See Section C, General Condition F.2.

5. Recordkeeping Requirements:

Pursuant to State Regulation 401 KAR 50:032, Prohibitory rule for hot mix asphalt plants, Section 4, monthly logs of asphalt production and fuel usage shall be maintained as follows:

- a. The production log shall show the amount of asphalt produced each month, in tons, and a rolling twelve (12) month total of asphalt production, obtained by adding each month's total to those for the previous eleven (11) months.
- b. The fuel usage log shall show the type and amount of fuels used each month. Fuel shall be identified and fuel usage shall be expressed in millions of cubic feet per month.
- c. All logs and MSDS sheets shall be kept on site for five (5) years from the date of last entry and shall be made available, upon request, for inspection by the cabinet or the U.S. EPA.

See also Section C, General Conditions B.1., B.2., and F.2.

6. Reporting Requirements:

See Section C, General Conditions C.1., C.2., C.3., F.3., and G.2.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

02 (-) Aggregate Handling

(-) Stockpiles

RAP UNIT

03 (-) Receiving Hopper

APPLICABLE REGULATIONS:

State Regulation 401 KAR 63:010, Fugitive Emissions, applies to each of the affected facilities listed above.

1. Operating Limitations:

N/A

2. Emission Limitations:

The materials processed at each affected facility listed above shall be controlled with wet suppression and/or enclosures so as to comply with the requirements specified in State Regulation 401 KAR 63:010, Fugitive emissions, Section 3, Standards for fugitive emissions.

Compliance Demonstration Method: See Section C, General Condition F.2.

3. Testing Requirements:

N/A

4. Monitoring Requirements:

See Section C, General Condition F.2.

5. Recordkeeping Requirements:

See Section C, General Conditions B.1., B.2., and F.2.

6. Reporting Requirements:

See Section C, General Conditions C.1., C.2., C.3., F.3., and G.2.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

RAP UNIT

- | | |
|-----------|---|
| 04 | (-) RAP Screen
(Maximum Rated Capacity- 100 tons/hour) |
| | (-) RAP Breaker
(Maximum Rated Capacity- 100 tons/hour) |
| | (-) RAP Conveyor and Transfer Points (From Breaker to Screen) |
| | (-) RAP Conveyor and Transfer Points (From Screen To Rotary Dryer) |

APPLICABLE REGULATION:

State Regulation 401 KAR 60:670, New nonmetallic mineral processing plants (40 CFR 60, Subpart OOO as modified by Section 3 of 401 KAR 60:670), applies to each of the affected facilities listed above.

1. Operating Limitations:

N/A

2. Emission Limitations:

- a) Fugitive emissions from the RAP breaker, emission point 03 (-), shall not exhibit greater than fifteen percent (15%) opacity as specified in State Regulation 401 KAR 60:670 (40 CFR 60.672(c)).
- b) Fugitive emissions from the two RAP conveyors and transfer points, emission points 03 (-) and (-), and the RAP screen, emission point 03 (-), shall not exhibit greater than ten percent (10%) opacity as specified in State Regulation 401 KAR 60:670 (40 CFR 60.672(b)).

Compliance Demonstration Method:

In determining compliance with the opacity standards as listed above, the owner or operator shall use Method 9 and the procedures as described in 40 CFR 60.11 and 40 CFR 60.675(c).

3. Testing Requirements:

See Section C, General Condition G.3.

4. Monitoring Requirements:

See Section C, General Condition F.2.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

5. Recordkeeping Requirements:

See Section C, General Conditions B.1., B.2., and F.2.

6. Reporting Requirements:

See Section C, General Conditions C.1., C.2., C.3., F.3., and G.2.

SECTION C - GENERAL CONDITIONS

A. Administrative Requirements

1. The permittee shall comply with all conditions of this permit. Noncompliance shall be (a) violation(s) of State Regulation 401 KAR 50:035, Permits, Section 7(3)(d) and is grounds for an enforcement action including but not limited to the termination, revocation and reissuance, or revision of this permit.
2. This permit shall remain in effect for a fixed term of five (5) years following the original date of issue. Permit expiration shall terminate the source's right to operate unless a timely and complete renewal application has been submitted to the Division at least six months prior to the expiration date of the permit. Upon a timely and complete submittal, the authorization to operate within the terms and conditions of this permit, including any permit shield, shall remain in effect beyond the expiration date, until the renewal permit is issued or denied by the Division. [401 KAR 50:035 Section 12]
3. Any condition or portion of this permit which becomes suspended or is ruled invalid as a result of any legal or other action shall not invalidate any other portion or condition of this permit. [401 KAR 50:035 Section 7(3)(k)]
4. The permit contained herein may be revised, revoked, reopened, reissued, or terminated for cause. The filing of a request by the permittee for any permit revision, revocation, reissuance, or termination, or of a notification of a planned change or anticipated noncompliance shall not stay any permit condition. [401 KAR 50:035 Section 7(3)(f)]
5. The permit does not convey property rights or exclusive privileges. [401 KAR 50:035 Section 7(3)(g)]
6. The permit shall be subject to suspension at any time the permittee fails to pay all fees within 90 days after notification as specified in State Regulation 401 KAR 50:038, Air emissions fee. [401 KAR 50:035 Section 7(3)(h)]
7. Nothing in this permit shall alter or affect the authority of the U.S. EPA to impose emergency orders pursuant to Federal Statute 42 USC 7603, Emergency orders. [401 KAR 50:035 Section 8(3)(a)]
8. Nothing in this permit shall alter or affect the liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance. [401 KAR 50:035 Section 8(3)(b)]
9. Nothing in this permit shall alter or affect the authority of U.S. EPA to obtain information pursuant to Federal Statute 42 USC 7414, Inspections, monitoring, and entry. [401 KAR 50:035 Section 7(2)(b)5]

SECTION C - GENERAL CONDITIONS (CONTINUED)

B. Recordkeeping Requirements

1. Records of all required monitoring data and support information, including calibrations, maintenance records, and original strip chart recordings, and copies of all reports required by the Division for Air Quality, shall be retained by the permittee for a period of five years and shall be made available for inspection upon request by any duly authorized representative of the Division for Air Quality. [401 KAR 50:035 Section 7(1)(d)2 and 401 KAR 50:035 Section 7(2)(c)]
2. The permittee shall perform compliance certification and recordkeeping sufficient to assure compliance with the terms and conditions of the permit. Documents, including reports, shall be certified by a responsible official pursuant to State Regulation 401 KAR 50:035, Permits, Section 6.

C. Reporting Requirements

1.
 - a. In accordance with the provisions of Regulation 401 KAR 50:055, Section 1 the owner or operator shall notify the Division for Air Quality's Frankfort Field Operations Branch, 803 Schenkel Lane, Frankfort, Kentucky 40601 concerning startups, shutdowns, or malfunctions as follows:
 1. When emissions during any planned shutdowns and ensuing startups will exceed the standards notification shall be made no later than three (3) days before the planned shutdown, or immediately following the decision to shut down, if the shutdown is due to events which could not have been foreseen three (3) days before the shutdown.
 2. When emissions due to malfunctions, unplanned shutdowns and ensuing startups are or may be in excess of the standards notification shall be made as promptly as possible by telephone (or other electronic media) and shall cause written notice upon request.
 - b. In accordance with the provisions of Regulation 401 KAR 50:035, Section 7(1)(e)2, the owner or operator shall promptly report deviations from permit requirements including those attributed to upset conditions (other than emission exceedances covered by Reporting Requirement condition 1 a) above) to the Division for Air Quality's Frankfort Field Operations Branch, 803 Schenkel Lane, Frankfort, Kentucky 40601.
2. The permittee shall furnish to the Division, in writing, information that the Division may request to determine whether cause exists for modifying, revoking, reissuing, or terminating this permit, or to determine compliance with this permit. [401 KAR 50:035, Section 7(2)(b)3e and 401 KAR Section 7(3)(j)]
3. Summary reports of any monitoring required by this permit shall be reported to the Division for Air Quality's Frankfort Field Operations Branch, 803 Schenkel Lane, Frankfort, Kentucky 40601 at least every six months during the life of this permit, unless otherwise stated in this permit. The reports are due within 30 days after the end of each six month reporting period. The initial issuance date of this permit establishes the beginning of the first reporting period. The permittee may shift to semi-annual reporting on a calendar year basis upon approval of the regional office. If calendar year reporting is approved, the semi-annual reports are due January 30th and July 30th of each year. All reports shall be certified by a responsible official pursuant to Section 6(1) of Regulation 401 KAR 50:035, Permits. All deviations from permit requirements shall be clearly identified in the reports.

SECTION C - GENERAL CONDITIONS (CONTINUED)

D. Inspections

1. In accordance with the requirements of Regulation 401 KAR 50:035, Permits, Section 7(2)(c) the permittee shall allow the Cabinet or an authorized representative to perform the following:
 - a. Enter upon the premises where a source is located or emissions-related activity is conducted, or where records are kept;
 - b. Have access to and copy, at reasonable times, any records required by the permit:
 1. During normal office hours, and
 2. During periods of an emergency when prompt access to records is essential to proper assessment by the Cabinet;
 - c. Inspect, at reasonable times, any facilities, equipment (including monitoring and pollution control equipment), practices, or operations required by the permit. Reasonable times shall include, but are not limited to the following:
 1. During all hours of operation at the source,
 2. For all sources operated intermittently, during all hours of operation at the source and the hours between 8:00 a.m. and 4:30 p.m., Monday through Friday, excluding holidays, and
 3. During an emergency; and
 - d. Sample or monitor, at reasonable times, substances or parameters to assure compliance with the permit or any applicable requirements. Reasonable times shall include, but are not limited to the following:
 1. During all hours of operation at the source,
 2. For all sources operated intermittently, during all hours of operation at the source and the hours between 8:00 a.m. and 4:30 p.m., Monday through Friday, excluding holidays, and
 3. During an emergency.

E. Emergencies/Enforcement Provisions

1. The permittee shall not use as defense in an enforcement action, the contention that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance [401 KAR 50:035 Section 7(3)(e)].
2. Pursuant to State Regulation 401 KAR 50:035, Permits, Section 9, an emergency shall constitute an affirmative defense to an action brought for the noncompliance with the technology-based emission limitations if the permittee demonstrates through properly signed contemporaneous operating logs or other relevant evidence that:
 - a. An emergency occurred and the permittee can identify the cause of the emergency;
 - b. The permitted facility was at the time being properly operated;
 - c. During an emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the permit; and
 - d. The permittee notified the Division as promptly as possible and submitted written notice of the emergency to the Division within two working days after the time when emission limitations were exceeded due to the emergency if the notice met the requirement of State Regulation 401 KAR 50:035, Permits, Section 7(1)(e)2, and included a description of the emergency, steps taken to mitigate emissions, and corrective actions taken.

SECTION C - GENERAL CONDITIONS (CONTINUED)

E. Emergencies/Enforcement Provisions (Continued)

3. Emergency provisions listed in General Condition E.2 are in addition to any emergency or upset provision contained in an applicable requirement.
4. In an enforcement proceeding, the permittee seeking to establish the occurrence of an emergency shall have the burden of proof [401 KAR 50:035 Section 9(3)].

F. Compliance

1. Permit Shield - Except as provided in State Regulation 401 KAR 50:035, Permits, compliance by the affected facilities listed herein with the conditions of this permit shall be deemed to be compliance with all applicable requirements identified in this permit as of the date of the issuance of this permit.
2. Periodic testing or instrumental or non-instrumental monitoring, which may consist of record keeping, shall be performed to the extent necessary to yield reliable data for purposes of demonstration of continuing compliance with the conditions of this permit. For the purpose of demonstration of continuing compliance, the following guidelines shall be followed:
 - a. Pursuant to State Regulation 401 KAR 50:055, General compliance requirements, Section 2(5), all air pollution control equipment and all pollution control measures proposed by the application in response to which this permit is issued shall be in place, properly maintained, and in operation at any time an affected facility for which the equipment and measures are designed is operated, except as provided by State Regulation 401 KAR 50:055, Section 1.
 - b. All the air pollution control systems shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers. A log shall be kept of all routine and non routine maintenance performed on each control device.
 - c. A log of the monthly raw material consumption and monthly production rates shall be kept available at the facility. Compliance with the emission limits may be demonstrated by computer program (spread sheets), calculations or performance tests as may be specified by the Division.
3. Pursuant to Regulation 401 KAR 50:035, Permits, Section 7(2)(b), the permittee shall annually complete and return a Compliance Certification Form (DEP 7007CC) to the Division for Air Quality's Frankfort Field Operations Branch, 803 Schenkel Lane, Frankfort, Kentucky 40601 in accordance with the following requirements:
 - a. Identification of each term or condition of the permit that is the basis of the certification;
 - b. The compliance status regarding each term or condition of the permit;
 - c. Whether compliance was continuous or intermittent; and
 - d. The method used for determining the compliance status for the source, currently and over the reporting period, pursuant to 401 KAR 50:035, Section 7(1)(c),(d), and (e).

SECTION C - GENERAL CONDITIONS (CONTINUED)

F. Compliance (Continued)

3. e. The certification shall be postmarked by the thirtieth (30) day following the applicable permit issuance anniversary date, or by January 30th of each year if calendar year reporting is approved by the regional office. Annual compliance certifications should be mailed to the following addresses:

Division for Air Quality
Frankfort Field Operations Branch
803 Schenkel Lane
Frankfort, KY 40601

Division for Air Quality
Central Files
803 Schenkel Lane
Frankfort, KY 40601

SECTION C - GENERAL CONDITIONS (CONTINUED)**G. New Construction Requirements:**

1. Pursuant to State Regulation 401 KAR 50:035, Permits, Section 13(1), unless construction is commenced on or before 18 months after the date of issue of this permit, or if construction is commenced and then stopped for any consecutive period of 18 months or more, then the construction and operating authority granted by this permit for those affected facilities for which construction was not completed shall immediately become invalid. Extensions of the time periods specified herein may be granted by the Division upon a satisfactory request showing that an extension is justified.
2. Pursuant to State Regulations 401 KAR 50:035, Permits, Section 7(2)(d) and 401 KAR 59:005, General provisions, Section 3(1), within 30 days following construction commencement, within 15 days following start-up and attainment of maximum production rate, or within 15 days following the issuance date of this permit, whichever is later, the owner and/or operator of the affected facilities specified on this permit shall furnish to the Division's Hazard Regional Office, with a copy to the Division's Frankfort Central Office, the following:
 - a. Date when construction commenced, (See General Condition G.1).
 - b. Start-up date of each of the affected facilities listed on this permit.
 - c. Date when maximum production rate was achieved, (See General Condition G.3.b).
 - d. Summary reports, as referenced in Section C, C.3., of any monitoring required by this permit, for emission units that were still under construction or which had not commenced operation at the end of the 6-month period covered by the report, shall indicate that no monitoring was performed during the previous six months because the emission unit was not in operation.
 - e. The annual compliance certification, as referenced in Section C, F.3., for an emissions unit that was still under construction or which had not commenced operation at the end of the 12-month period covered by the compliance certification, shall indicate that the unit was under construction and that compliance with any applicable requirements will be demonstrated within the timeframes specified in the permit.
3.
 - a. Pursuant to State Regulation 401 KAR 59:005, General provisions, Section 2(1), this permit shall allow time for the initial start-up, operation, and compliance demonstration of the affected facilities listed herein. However, within 60 days after achieving the maximum production rate at which the affected facilities will be operated, but not later than 180 days after initial start-up of such facilities, the owner or operator shall demonstrate compliance to a duly authorized representative of the Division.
 - b. Pursuant to State Regulation 401 KAR 59:005, general provisions, Section 3(1)(b), unless notification and justification to the contrary are received by this Division, the date of achieving the maximum production rate at which the affected facilities will be operated shall be deemed to be 30 days after initial start-up.
 - c. Pursuant to Section VII 2.(1) of the policy manual of the Division for Air Quality as referenced by Regulation 401 KAR 50:016, Section 1.(1), at least 30 days prior to the date of the required performance test(s), the permittee shall complete and return a Compliance Test Protocol (Form DEP 6027) to the Division's Frankfort office. The protocol form shall be utilized by the Division to determine if a pretest meeting is required. Pursuant to 401 KAR 50:045, Section 5, the Division shall be notified of the actual test date at least 10 days prior to the test(s).

SECTION C - GENERAL CONDITIONS (CONTINUED)

G. New Construction Requirements: (Continued)

3. d. Pursuant to Section VII.3 of the policy manual of the Division for Air Quality as referenced by Regulation 401 KAR 50:016, Section 1(1), results of performance test(s) required by the permit shall be submitted to the Division by the source or its representative within forty-five days after the completion of the fieldwork.
4. Operation of the affected facilities authorized by this permit shall not commence until compliance with applicable standards specified herein has been demonstrated in accordance with the requirements of State Regulation 401 KAR 50:035, Permits, Section 13(4).

SECTION D - INSIGNIFICANT ACTIVITIES

The following listed activities have been determined to be insignificant activities for this source pursuant to Regulation 401 KAR 50:035, Section 5(4). While these activities are designated as insignificant the permittee must comply with the applicable regulation and some minimal level of periodic monitoring may be necessary.

<u>Description</u>	<u>Generally Applicable Regulation</u>
Asphalt Heater	N/A